

HH-9588

半身安全带使用说明书

Half body seat belt

ISO9001 Standards Complied



20260316

贴条码处


Safety precautions

Warning


This manual explains how to use the equipment and only appropriate techniques and uses are described. Warning signs tell the potential risks but they don't cover everything. Please read every warning carefully and use your equipment properly. Any misuse might lead to danger. If you are in doubt, please contact XINDA.

	Risk of severe injury or death
	Risk of accident or harm
OK!	Appropriate way of use
X	Incorrect way of use


Safety Harness Inspection



Nomenclature&Marking




Indicators





a: Reminder of reading instruction
 c: Manufacture date



b: Conforming standard(s)

Donning&Adjusting







Donning&Adjusting




How to Adjust




Plaatsing beveiligings- of afdelingssystemem



Indicators



Gear Loops



5kg
max

1. FIELD OF APPLICATION

- Personal protective equipment (PPE) used for fall protection.
- Climbing and mountaineering seat harness specially designed for canyoning.
- This product must not be pushed beyond its limits, nor be used for any purpose other than that for which it is designed.

RESPONSIBILITY

WARNING

Activities involving the use of this equipment are inherently dangerous.

You are responsible for your own actions, decisions and safety.

Before using this equipment, you must:

- Read and understand all Instructions for Use.
- Get specific training in its proper use.
- Become acquainted with its capabilities and limitations.
- Understand and accept the risks involved.

Failure to heed any of these warnings may result in severe injury or death.

This product must only be used by competent and responsible persons, or those placed under the direct and visual control of a competent and responsible person.

You are responsible for your actions, your decisions and your safety and you assume

the consequences of same. If you are not able, or not in a position to assume this responsibility, or if you do not fully understand the Instructions for Use, do not use this equipment.

The user must consider rescue options in the event of difficulties encountered while using this product.

2. NOMENCLATURE

1. Waistbelt 2. Waistbelt buckles 3. Legloop buckles 4. Legloops 5. Attachment point 6. Gear loops 7. Waistbelt webbing elastic 8. Leg webbing elastic

Principal materials: polyester, thermoplastic polyurethane (TPU).

3. INSPECTION, POINTS TO VERIFY

Petzl recommends a detailed inspection at least once every 12 months.

Warning:

your intensity of use may cause you to inspect your PPE more frequently. Record the results on your PPE inspection form.

- Before each use:

Check the webbing at the attachment point, at the adjustment buckles and at the safety stitching.

Look for cuts, wear, swelling and damage due to use, to heat, and to contact with chemicals... Be particularly careful to check for cut or loose threads.

Verify that the adjustment buckles operate properly.

- During use:

Regularly verify that the adjustment buckles are securely fastened. It is important to regularly monitor the condition of the product and its connections to the other equipment in the system. Make sure that all items of equipment are correctly positioned with respect to each other.

4. COMPATIBILITY

Verify that this product is compatible with the other elements of the system in your application (compatible = good functional interaction). Equipment used with your harness must meet current standards in your country (e.g. EN 12275 carabiners).

5. HARNESS SETUP

Before putting on the harness, untangle it and loosen the waistbelt buckle.

Always pass the excess webbing under the elastic keepers to help prevent accidental loosening of the buckles.

When walking, you may need to loosen the leg loops for greater comfort.

Be sure to tighten the loops again before suspension.

The attachment point must be centered.

Wet and icy harness straps are more difficult to adjust.

Adjustment and suspension test

In a safe environment, move around and hang in the harness from the attachment point

to verify that the harness is comfortable and properly adjusted.

6. INSTALLING A BELAY OR RAPPEL SYSTEM

Connect your belay or rappel system to your attachment point with a locking carabiner. Verify that the carabiner is properly closed and locked and that it is loaded on the major axis.

7. INSTALLING THE LANYARD

Follow the Instructions for Use of the lanyard supplied by the manufacturer.

8. GEAR LOOP

The gear loop must only be used for equipment.

WARNING – DANGER: never use gear loops for belaying, rappelling, tying in, or anchoring a person.

9. ADDITIONAL INFORMATION

This product meets the requirements of Regulation (EU) 2016/425 on personal protective equipment.

The melting point of high-modulus polyethylene (140° C) is lower than that of nylon and polyester.

When to retire your equipment:

WARNING: an exceptional event can lead you to retire a product after only one use, depending on the type and intensity of usage and the environment of usage (harsh environments, marine environments, sharp edges, extreme temperatures, chemicals...).

A product must be retired when:

- It is over 10 years old and made of plastic or textiles.
 - It has been subjected to a major fall or load.
 - It fails to pass inspection. You have any doubt as to its reliability.
 - You do not know its full usage history.
 - When it becomes obsolete due to changes in legislation, standards, technique or incompatibility with other equipment...
- Destroy these products to prevent further use.

3-year guarantee

Against any material or manufacturing defect. Exclusions: normal wear and tear, oxidation, modifications or alterations, incorrect storage, poor maintenance, negligence, uses for which this product is not designed.