



If you have any doubts or difficulties
in understanding this manual, please contact XINDA

Phone number: **86 400-8856993**

No.19 Xinchao Road, Wangjiang Community, Baiyun Street,
Dongyang City, Jinhua City, Zhejiang Province, China.



不锈钢护绳器使用说明书

ROPE PROTECTOR

Safety precautions

This manual explains how to use the equipment and only appropriate techniques and uses are described. Warning signs tell the potential risks but they don't cover everything. Please read every each warning carefully and use your equipment properly. Any misuse might lead to danger. If you are in doubt, please contact XINDA.



Risk of severe injury or death



Risk of accident or harm


OK!

Appropriate way of use



Incorrect way of use


Applicable Rope Diameter




$\phi \leq 20\text{mm}$

Component


- ① Rope left and right limit ring
- ② Rope up and down limit ring
- ③ Fixing hole
- ④ Fixing ring




Rope Installation



Instructions for Use



(1) Single-rope protection



(2) Double-rope safety system

ISO9001 Standards Complied

贴条码处



Field of Application

Equipment for protecting ropes, used for rope protection during work at height.

This product shall not be used for purposes other than those for which it is designed.

Responsibility

Warning

Any activity involving the use of this equipment is inherently dangerous.

You are responsible for your own actions, decisions, and safety.

Before using this equipment, you must:

- Read and understand all instructions for use;
- Receive specific training in the use of this device;
- Be familiar with your equipment, its performance, and its limitations;
- Understand and accept the risks involved.

If you ignore any of the above warnings, serious injury or even death may result.

This product should only be used by capable and responsible persons, or under the direct visual supervision of a capable and responsible person.

You are responsible for your own actions, decisions, and safety, and you must bear the consequences. If you are unable to accept this responsibility or do not fully understand these instructions for use, please do not use this equipment.

Inspection and Check Points

Your safety is closely related to the condition of your equipment.

XINDA recommends a thorough inspection at least every 12 months.

Before each use:

- Check that the rope protector bracket has no cracks, deformation, nicks, wear, or corrosion.
- Check that all components are functioning properly.

During each use:

It is essential to check that the rope protector bracket is installed securely to avoid tipping over.

Main Material: Stainless Steel;

Applicable Rope Diameter: Up to 20mm

Instructions for Use:

First, clean and level the surface, then lay down an anti-slip mat and install the rope protector bracket. It can be secured with ropes or with screws.

Retiring Your Equipment

Warning: A single accident may cause the product to be retired after its first use, depending on the manner and intensity of use, and the environment of use (harsh environments, marine environments, sharp edges, extreme temperatures, chemicals, etc.).

When to retire your equipment:

- Plastic or textile products that are more than 10 years old from the date of manufacture.
- Have experienced a severe fall or heavy load.
- Do not pass product inspection. You have doubts about its safety.
- You do not know the complete history of the product's use.
- Must be retired due to laws, standards, technical issues, or incompatibility with other equipment.

Destroy these products to prevent future misuse.

3-Year Warranty

Covers defects in materials or workmanship. The warranty does not cover: normal wear and tear, oxidation, modifications or alterations by the user, improper storage, poor maintenance, negligence, or use for purposes other than those for which the product is designed.